



**RECESSED  
MANHOLE  
COVERS**

GRASS · GRAVEL · RESIN

**THE GARDEN SOLUTION**

**GRASSTOPS**

**SPECIALIST RECESSED DRAIN COVERS · UNIQUE TO ECOGRID AND PARTNERS**



# GRASSTOP

## BESPOKE RECESSED MANHOLE COVERS

GrassTop and EcoGrid Manhole Covers are unique to EcoGrid Ltd and its sister companies, Recessed Manhole Covers and Geotextile Membranes. The problem of solid top or recessed drain covers ruining lawns and gardens has been apparent for decades, but in recent years Recessed Manhole Covers has developed a solution.

Unlike regular recessed covers, GrassTops incorporate pre-drilled drainage holes which allow rainwater to drain through naturally. Combined with a double layer of specialist membranes, this water is filtered and grass will grow inside the tray. Ultimately this results in an aesthetically pleasing solution for client and contractor. The covers can also be filled with other materials such as rubber crumb, artificial turf, decorative gravels or any porous surfacing product.

Although bespoke, these products will typically be on site within three working days. A total of thirteen different variations are available as standard, whilst special sizes can be manufactured on demand.




### The Essentials

- Pre-drilled drainage holes
- Factory fitted specialist geotextile membranes
- Integral lifting keys on smaller covers
- Up to 10 tonnes loading capacity
- Galvanised mild steel tray
- Some feature polypropylene frames

# GRAVELTOP

## DEVELOPED ON THE BASIS OF THE GRASSTOP



Our GravelTop manhole covers are ideal for gravel driveways and paths, as well as grassed parking areas.

Generally, gravel in a normal recessed tray will move and spread under foot or tyre, causing a possible trip hazard. However, compacted into the Recessed Manhole Covers GravelTop, this no longer becomes an issue.

The grid comes factory cut and fitted in the specified cover, ready for instant installation.

# SPECIFICATION

| Product Code            | Clear Opening Size (mm)     | Internal Tray Depth (mm) | Frame Size (mm) | Depth <sup>1</sup> (mm) | Loading (tonnes) | Integral Keys (Y/N) |
|-------------------------|-----------------------------|--------------------------|-----------------|-------------------------|------------------|---------------------|
| CD 30SR-GT <sup>2</sup> | 220 to 300 dia <sup>3</sup> | 80                       | 438 x 438       | 93                      | 35kN             | Yes                 |
| EG3030/100-GT           | 300 x 300                   | 100                      | 406 x 406       | 106                     | 10 GPW           | No                  |
| CD450SR-GT <sup>2</sup> | 450 dia                     | 80                       | 580 x 580       | 88                      | 10 GPW           | Yes                 |
| EG4545/100-GT           | 450 x 450                   | 100                      | 556 x 556       | 106                     | 10 GPW           | No                  |
| CD790R-GT               | 600 x 450                   | 80                       | 695 x 545       | 96                      | 10 GPW           | Yes                 |
| CD790R/SF-GT            | 600 x 450                   | 80                       | 650 x 500       | 85                      | 10 GPW           | Yes                 |
| EG6045/100-GT           | 600 X 450                   | 100                      | 706 X 556       | 106                     | 10 GPW           | No                  |
| CD791R-GT               | 600 x 600                   | 80                       | 690 x 690       | 96                      | 10 GPW           | Yes                 |
| EG6060/100-GT           | 600 X 600                   | 100                      | 706 X 706       | 106                     | 10 GPW           | No                  |
| EG7560/100-GT           | 750 X 600                   | 100                      | 856 X 706       | 106                     | 10 GPW           | No                  |
| EG7575/100-GT           | 750 X 750                   | 100                      | 856 X 856       | 106                     | 10 GPW           | No                  |
| EG9060/100-GT           | 900 X 600                   | 100                      | 1006 x 706      | 106                     | 10 GPW           | No                  |
| EG9090/100-GT           | 900 X 900 <sup>4</sup>      | 100                      | 1006 X 1006     | 106                     | 10 GPW           | No                  |
| BESPOKE                 | As Required                 | As Required              | As Required     | As Required             | As Required      | No                  |

- <sup>1</sup> Some covers incorporate strengthening bars, not included in depth measurements
- <sup>2</sup> These covers feature round adaptors to fit square or round chambers, and the recessed tray is square for tiling
- <sup>3</sup> The round ridged adaptor decrease from 300mm to 220mm in stages and can be cut where required
- <sup>4</sup> Two part manhole cover; two trays within one frame

100% Black Polypropylene

CD300SR-GT


Galvanised Mild Steel Tray with Black Polypropylene Frame

CD450SR-GT, CD790R/80-GT, CD791R-GT

All other covers are 100% galvanised mild steel

*Recessed Manhole Covers*  
*GravelTop manhole covers are factory fitted with our EcoGrid E50, reducing the recess by 50mm.*  
*The grid itself has a load bearing capacity of 350 tonnes.*  
*Sets of lifting keys are available separately if required.*





**RECESSED  
MANHOLE  
COVERS**

## GET IN TOUCH

Recessed Manhole Covers

Crystal House, 28-29 Wheatland Business Park

Wheatland Lane, Wallasey, CH44 7ER

T: +44 (0)151 639 4281

F: +44 (0)151 675 0030

[sales@recessedmanholecovers.co.uk](mailto:sales@recessedmanholecovers.co.uk)